

Pro-Pac Ostendorf Plastic GmbH & Co. KG Thermoformfolien & Verpackungen Rudolf-Diesel-Str. 25 49377 Vechta

## Declaration of Compliance for materials made from plastic intended to come into contact with food

Hereby we confirm that our product:

Article Number	Name	
501	PP, Packaging Cups 125cc, rectangular, transparent	
5020	PP, Packaging Cups 150cc, rectangular, transparent	
503	PP, Packaging Cups 200cc, rectangular, transparent	
505	PP, Packaging Cups 250cc, rectangular, transparent	
5060	PP, Packaging Cups 300cc, rectangular, transparent	
5070	PP, Packaging Cups 500cc, rectangular, transparent	
510	PP, Lid for Packaging cups, rectangular, transparent	
125501	PP, Packaging Cups 125cc, with lids, rectangular, transparent	
250505	PP, Packaging Cups 250cc, with lids, rectangular, transparent	
300506	PP, Packaging Cups 300cc, with lids, rectangular, transparent	
10095	PP, Quadroboxx 500cc, transparent	
10097	PP, Lids for Quadroboxx, transparent	

complies with the legal regulations laid down in the German Commodity Ordinance (or the respective stipulations laid down in the European Regulations on Plastic materials), the German LFGB (§§ 30 and 31) as well as Regulation (EC) No 1935/2004 and (EC) No 2023/2006, all in their relevant versions.

When used as specified, the overall migrations as well as the specific migration do not exceed the legal limits. The test was performed according to the Directive 82/711/EEC and 85/572/EEC.

The materials and raw materials used comply with the German Commodity Ordinance and the European Regulations 2002/72/EC ff. and 10/2011/EC.

The following substances subject to limitations and/or specification are used in the above mentioned product:

Name	Limit	CAS-Nr.
Aluminium hydroxybis[2,2'-methylene bis	5 ppm	151841-65-5
[4,6-di(tertbutyl)phenyl]phosphate]		0.000
Lithium compound	0,6 ppm, as Li	-

## Page 2 of 3



The below mentioned Dual-Use-Additives are contained:

Glycerol Monostearate 90%

CAS-Nr. 31566-31-1

Calcium Stearate

CAS-Nr. 1592-23-0

No functional barrier made from plastic is used in the above mentioned product.

## Specification of the intended use:

- Type(s) of food intended to come into contact with the material:

Water-, acid-, alcohol- and fat containing food

- Duration and temperature of treatment and storage while in contact with the food;

The products can be hot filled and then be stored for 10 days at 40 °C.

10 days, 40 °C, tested (Water, Acid, Oil, and Ethanol) 2 days, 20 °C, tested (Isooctane)

Test liquids

Water / demineralised water Acetic Acid (0,2% and 3%) Ethanol (15% and 95%) Oil Isooctane

- Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article:

6,0 dm<sup>2</sup>/l Packaging Cups

Traceability of the products is ensured according to Regulation (EC) No. 1935/2004 via the number of the roll in conjunction with the date of production.



This declaration is valid for the product delivered by us as specified above. The Directives 82/711/EEC and 85/572/EEC provide a guideline for the selection of test conditions to be used for various food products. According to that and under consideration of the food contact conditions stated, the product complies with the stipulations of these Directives regarding the packaging of food products to be packed. The user shall verify himself that the product is suitable for the intended food to be packed beyond the stipulations of the Directives.

In particular it is emphasized that in case of printed material, no contact is allowed between the printing ink and the food product.

Dr. Manfred Penkhues

Quality and environmental manager

Mudolf-Diesels Gmbu Schta, 28.06.2013

044 Vech